


# CLI DISEASE

## AND CURRENTLY AVAILABLE TREATMENTS

### WHAT IS CRITICAL LIMB ISCHEMIA (CLI)?

In patients with CLI, blood vessels in the legs are blocked, drastically reducing blood flow to the feet



### HOW DOES CLI AFFECT YOU?

- Pain or numbness in the feet
- Absent or reduced pulse in the legs or feet
- Wound(s) in the leg or feet that will not heal




## WHAT DOES TREATMENT PROCESS LOOK LIKE?

#### DIAGNOSIS OF CLI

##### ANGIOGRAM (X-RAY)

Looks for blocked vessels in the leg


#### MOST COMMON TREATMENT



##### PTA

- Percutaneous transluminal angioplasty (PTA)
- A small balloon is inserted into the vessel and inflated to open the blockage, and re-establish blood flow to the lower leg and feet
- The balloon is then removed from the vessel

#### OTHER POTENTIAL TREATMENTS



##### ATHERECTOMY

- Method used to remove significant blockages and/or calcium buildup that could prevent the vessel from opening
- PTA is then performed to completely open the vessel

##### SURGERY

Operation performed on your artery to clean out or bypass the narrowed part of your artery

## LIFE-BTK STUDY

- If you have been diagnosed with CLI, you may qualify for the LIFE-BTK study
- This is a study to test an investigational new device, called Esprit™ BTK, for treatment of CLI
- The device is made of a material that goes away (i.e. dissolves) over time and will be gone from your body in about 3 years
- Study participants will have in-person visits with a dedicated team of specialists focused on their care

*You can still see your personal physician for regular checkups and care.*

### WHAT IS INVOLVED IF I CHOOSE TO PARTICIPATE?

Before you are enrolled, you will be screened to make sure you are a good candidate for the study. You will also have to sign a consent form to participate in the study.


#### The screening may include:

- Review of your medical history with a study representative
- Laboratory tests
- Assessment of wound(s) on the leg or feet (if applicable)
- Angiogram (type of X-ray) to diagnose where the blockage is in your vessel

### WHAT HAPPENS IF I PASS THE SCREENING PROCESS?


- 1 You will be assessed in-person at the treatment center and then registered in the study
- 2 You will be randomly assigned to a treatment group
- 3 You will have the procedure to treat your blocked vessel
- 4 You will have 10 study visits over a 5-year period, at the following time points:
  - 14 days
  - 30 days
  - 42 days
  - 90 days
  - 180 days
  - 1 year
  - 2 years
  - 3 years
  - 4 years
  - 5 years

### WHAT DOES TREATMENT WITH ESPRIT™ BTK LOOK LIKE?



**1** Device inserted into blocked vessel to open up the blockage.


**2** Device holds your vessel open, and releases a small amount of drug to help your vessel heal.



**3** Device slowly goes away over time, so that nothing is left behind in your vessel, after about 3 years.

### WHERE CAN I LEARN MORE ABOUT THE LIFE-BTK STUDY?

For any questions, please contact the study team at the below information:



For more information please refer to [www.clinicaltrials.gov](http://www.clinicaltrials.gov) (NCT04227899)

CAUTION: Esprit™ BTK System is an investigational device limited by Federal (US) law for investigational use only.

Illustrations are artist's representations only and should not be considered as engineering drawings or photographs. Photos on file at Abbott.

**Information contained herein for DISTRIBUTION globally.**

#### Abbott

3200 Lakeside Dr., Santa Clara, CA 95054 USA,  
Tel: 1.800.227.9902

™ Indicates a trademark of the Abbott Group of Companies.

[www.cardiovascular.abbott](http://www.cardiovascular.abbott)

©2020 Abbott. All rights reserved.

LIFE-BTK Patient Flyer CL1013079 Rev. B




# CLI DISEASE

## AND CURRENTLY AVAILABLE TREATMENTS

### WHAT IS CRITICAL LIMB ISCHEMIA (CLI)?

In patients with CLI, blood vessels in the legs are blocked, drastically reducing blood flow to the feet



### HOW DOES CLI AFFECT YOU?

- Pain or numbness in the feet
- Absent or reduced pulse in the legs or feet
- Wound(s) in the leg or feet that will not heal




### WHAT DOES TREATMENT PROCESS LOOK LIKE?

#### DIAGNOSIS OF CLI

##### ANGIOGRAM (X-RAY)

Looks for blocked vessels in the leg


#### MOST COMMON TREATMENT



##### PTA

- Percutaneous transluminal angioplasty (PTA)
- A small balloon is inserted into the vessel and inflated to open the blockage, and re-establish blood flow to the lower leg and feet
- The balloon is then removed from the vessel

#### OTHER POTENTIAL TREATMENTS



##### ATHERECTOMY

- Method used to remove significant blockages and/or calcium buildup that could prevent the vessel from opening
- PTA is then performed to completely open the vessel

##### SURGERY

Operation performed on your artery to clean out or bypass the narrowed part of your artery

## LIFE-BTK STUDY

- If you have been diagnosed with CLI, you may qualify for the LIFE-BTK study
- This is a study to test an investigational new device, called Esprit™ BTK, for treatment of CLI
- The device is made of a material that goes away (i.e. dissolves) over time and will be gone from your body in about 3 years
- Study participants will have in-person visits with a dedicated team of specialists focused on their care

*You can still see your personal physician for regular checkups and care.*

### WHAT IS INVOLVED IF I CHOOSE TO PARTICIPATE?

Before you are enrolled, you will be screened to make sure you are a good candidate for the study. You will also have to sign a consent form to participate in the study.


#### The screening may include:

- Review of your medical history with a study representative
- Laboratory tests
- Assessment of wound(s) on the leg or feet (if applicable)
- Angiogram (type of X-ray) to diagnose where the blockage is in your vessel

### WHAT HAPPENS IF I PASS THE SCREENING PROCESS?


- 1 You will be assessed in-person at the treatment center and then registered in the study
- 2 You will be randomly assigned to a treatment group
- 3 You will have the procedure to treat your blocked vessel
- 4 You will have 10 study visits over a 5-year period, at the following time points:
  - 14 days
  - 30 days
  - 42 days
  - 90 days
  - 180 days
  - 1 year
  - 2 years
  - 3 years
  - 4 years
  - 5 years

### WHAT DOES TREATMENT WITH ESPRIT™ BTK LOOK LIKE?



**1** Device inserted into blocked vessel to open up the blockage.


**2** Device holds your vessel open, and releases a small amount of drug to help your vessel heal.



**3** Device slowly goes away over time, so that nothing is left behind in your vessel, after about 3 years.

### WHERE CAN I LEARN MORE ABOUT THE LIFE-BTK STUDY?

For any questions, please contact the study team at the below information:



For more information please refer to [www.clinicaltrials.gov](http://www.clinicaltrials.gov) (NCT04227899)

CAUTION: Esprit™ BTK System is an investigational device limited by Federal (US) law for investigational use only.

Illustrations are artist's representations only and should not be considered as engineering drawings or photographs. Photos on file at Abbott.

**Information contained herein for DISTRIBUTION globally.**

#### Abbott

3200 Lakeside Dr., Santa Clara, CA 95054 USA,  
Tel: 1.800.227.9902

™ Indicates a trademark of the Abbott Group of Companies.

[www.cardiovascular.abbott](http://www.cardiovascular.abbott)

©2020 Abbott. All rights reserved.

LIFE-BTK Patient Flyer CL1013080 Rev. B




# CLI DISEASE

## AND CURRENTLY AVAILABLE TREATMENTS

### WHAT IS CRITICAL LIMB ISCHEMIA (CLI)?

In patients with CLI, blood vessels in the legs are blocked, drastically reducing blood flow to the feet



### HOW DOES CLI AFFECT YOU?

- Pain or numbness in the feet
- Absent or reduced pulse in the legs or feet
- Wound(s) in the leg or feet that will not heal




### WHAT DOES TREATMENT PROCESS LOOK LIKE?

#### DIAGNOSIS OF CLI

##### ANGIOGRAM (X-RAY)

Looks for blocked vessels in the leg


#### MOST COMMON TREATMENT



##### PTA

- Percutaneous transluminal angioplasty (PTA)
- A small balloon is inserted into the vessel and inflated to open the blockage, and re-establish blood flow to the lower leg and feet
- The balloon is then removed from the vessel

#### OTHER POTENTIAL TREATMENTS



##### ATHERECTOMY

- Method used to remove significant blockages and/or calcium buildup that could prevent the vessel from opening
- PTA is then performed to completely open the vessel

##### SURGERY

Operation performed on your artery to clean out or bypass the narrowed part of your artery

## LIFE-BTK STUDY

- If you have been diagnosed with CLI, you may qualify for the LIFE-BTK study
- This is a study to test an investigational new device, called Esprit™ BTK, for treatment of CLI
- The device is made of a material that goes away (i.e. dissolves) over time and will be gone from your body in about 3 years
- Study participants will have in-person visits with a dedicated team of specialists focused on their care

*You can still see your personal physician for regular checkups and care.*

### WHAT IS INVOLVED IF I CHOOSE TO PARTICIPATE?

Before you are enrolled, you will be screened to make sure you are a good candidate for the study. You will also have to sign a consent form to participate in the study.


#### The screening may include:

- Review of your medical history with a study representative
- Laboratory tests
- Assessment of wound(s) on the leg or feet (if applicable)
- Angiogram (type of X-ray) to diagnose where the blockage is in your vessel

### WHAT HAPPENS IF I PASS THE SCREENING PROCESS?


- 1 You will be assessed in-person at the treatment center and then registered in the study
- 2 You will be randomly assigned to a treatment group
- 3 You will have the procedure to treat your blocked vessel
- 4 You will have 10 study visits over a 5-year period, at the following time points:
  - 14 days
  - 30 days
  - 42 days
  - 90 days
  - 180 days
  - 1 year
  - 2 years
  - 3 years
  - 4 years
  - 5 years

### WHAT DOES TREATMENT WITH ESPRIT™ BTK LOOK LIKE?



**1** Device inserted into blocked vessel to open up the blockage.


**2** Device holds your vessel open, and releases a small amount of drug to help your vessel heal.



**3** Device slowly goes away over time, so that nothing is left behind in your vessel, after about 3 years.

### WHERE CAN I LEARN MORE ABOUT THE LIFE-BTK STUDY?

For any questions, please contact the study team at the below information:



For more information please refer to [www.clinicaltrials.gov](http://www.clinicaltrials.gov) (NCT04227899)

CAUTION: Esprit™ BTK System is an investigational device limited by Federal (US) law for investigational use only.

Illustrations are artist's representations only and should not be considered as engineering drawings or photographs. Photos on file at Abbott.

**Information contained herein for DISTRIBUTION globally.**

#### Abbott

3200 Lakeside Dr., Santa Clara, CA 95054 USA,  
Tel: 1.800.227.9902

™ Indicates a trademark of the Abbott Group of Companies.

[www.cardiovascular.abbott](http://www.cardiovascular.abbott)

©2020 Abbott. All rights reserved.

LIFE-BTK Patient Flyer CL1013081 Rev. B






# CLI DISEASE

## AND CURRENTLY AVAILABLE TREATMENTS

### WHAT IS CRITICAL LIMB ISCHEMIA (CLI)?

In patients with CLI, blood vessels in the legs are blocked, drastically reducing blood flow to the feet



### HOW DOES CLI AFFECT YOU?

- Pain or numbness in the feet
- Absent or reduced pulse in the legs or feet
- Wound(s) in the leg or feet that will not heal




### WHAT DOES TREATMENT PROCESS LOOK LIKE?

#### DIAGNOSIS OF CLI

##### ANGIOGRAM (X-RAY)

Looks for blocked vessels in the leg


#### MOST COMMON TREATMENT



##### PTA

- Percutaneous transluminal angioplasty (PTA)
- A small balloon is inserted into the vessel and inflated to open the blockage, and re-establish blood flow to the lower leg and feet
- The balloon is then removed from the vessel

#### OTHER POTENTIAL TREATMENTS



##### ATHERECTOMY

- Method used to remove significant blockages and/or calcium buildup that could prevent the vessel from opening
- PTA is then performed to completely open the vessel

##### SURGERY

Operation performed on your artery to clean out or bypass the narrowed part of your artery

## LIFE-BTK STUDY

- If you have been diagnosed with CLI, you may qualify for the LIFE-BTK study
- This is a study to test an investigational new device, called Esprit™ BTK, for treatment of CLI
- The device is made of a material that goes away (i.e. dissolves) over time and will be gone from your body in about 3 years
- Study participants will have in-person visits with a dedicated team of specialists focused on their care

*You can still see your personal physician for regular checkups and care.*

### WHAT IS INVOLVED IF I CHOOSE TO PARTICIPATE?

Before you are enrolled, you will be screened to make sure you are a good candidate for the study. You will also have to sign a consent form to participate in the study.


#### The screening may include:

- Review of your medical history with a study representative
- Laboratory tests
- Assessment of wound(s) on the leg or feet (if applicable)
- Angiogram (type of X-ray) to diagnose where the blockage is in your vessel

### WHAT HAPPENS IF I PASS THE SCREENING PROCESS?


- 1 You will be assessed in-person at the treatment center and then registered in the study
- 2 You will be randomly assigned to a treatment group
- 3 You will have the procedure to treat your blocked vessel
- 4 You will have 10 study visits over a 5-year period, at the following time points:
  - 14 days
  - 30 days
  - 42 days
  - 90 days
  - 180 days
  - 1 year
  - 2 years
  - 3 years
  - 4 years
  - 5 years

### WHAT DOES TREATMENT WITH ESPRIT™ BTK LOOK LIKE?



**1** Device inserted into blocked vessel to open up the blockage.


**2** Device holds your vessel open, and releases a small amount of drug to help your vessel heal.



**3** Device slowly goes away over time, so that nothing is left behind in your vessel, after about 3 years.

### WHERE CAN I LEARN MORE ABOUT THE LIFE-BTK STUDY?

For any questions, please contact the study team at the below information:



For more information please refer to [www.clinicaltrials.gov](http://www.clinicaltrials.gov) (NCT04227899)

CAUTION: Esprit™ BTK System is an investigational device limited by Federal (US) law for investigational use only.

Illustrations are artist's representations only and should not be considered as engineering drawings or photographs. Photos on file at Abbott.

**Information contained herein for DISTRIBUTION globally.**

#### Abbott

3200 Lakeside Dr., Santa Clara, CA 95054 USA,  
Tel: 1.800.227.9902

™ Indicates a trademark of the Abbott Group of Companies.

[www.cardiovascular.abbott](http://www.cardiovascular.abbott)

©2020 Abbott. All rights reserved.

LIFE-BTK Patient Flyer CL1013082 Rev. B






# CLI DISEASE

## AND CURRENTLY AVAILABLE TREATMENTS

### WHAT IS CRITICAL LIMB ISCHEMIA (CLI)?

In patients with CLI, blood vessels in the legs are blocked, drastically reducing blood flow to the feet



### HOW DOES CLI AFFECT YOU?

- Pain or numbness in the feet
- Absent or reduced pulse in the legs or feet
- Wound(s) in the leg or feet that will not heal




### WHAT DOES TREATMENT PROCESS LOOK LIKE?

#### DIAGNOSIS OF CLI

##### ANGIOGRAM (X-RAY)

Looks for blocked vessels in the leg


#### MOST COMMON TREATMENT



##### PTA

- Percutaneous transluminal angioplasty (PTA)
- A small balloon is inserted into the vessel and inflated to open the blockage, and re-establish blood flow to the lower leg and feet
- The balloon is then removed from the vessel

#### OTHER POTENTIAL TREATMENTS



##### ATHERECTOMY

- Method used to remove significant blockages and/or calcium buildup that could prevent the vessel from opening
- PTA is then performed to completely open the vessel

##### SURGERY

Operation performed on your artery to clean out or bypass the narrowed part of your artery

## LIFE-BTK STUDY

- If you have been diagnosed with CLI, you may qualify for the LIFE-BTK study
- This is a study to test an investigational new device, called Esprit™ BTK, for treatment of CLI
- The device is made of a material that goes away (i.e. dissolves) over time and will be gone from your body in about 3 years
- Study participants will have in-person visits with a dedicated team of specialists focused on their care

*You can still see your personal physician for regular checkups and care.*

## WHAT IS INVOLVED IF I CHOOSE TO PARTICIPATE?

Before you are enrolled, you will be screened to make sure you are a good candidate for the study. You will also have to sign a consent form to participate in the study.


### The screening may include:

- Review of your medical history with a study representative
- Laboratory tests
- Assessment of wound(s) on the leg or feet (if applicable)
- Angiogram (type of X-ray) to diagnose where the blockage is in your vessel

## WHAT HAPPENS IF I PASS THE SCREENING PROCESS?


- 1 You will be assessed in-person at the treatment center and then registered in the study
- 2 You will be randomly assigned to a treatment group
- 3 You will have the procedure to treat your blocked vessel
- 4 You will have 10 study visits over a 5-year period, at the following time points:
  - 14 days
  - 30 days
  - 42 days
  - 90 days
  - 180 days
  - 1 year
  - 2 years
  - 3 years
  - 4 years
  - 5 years

## WHAT DOES TREATMENT WITH ESPRIT™ BTK LOOK LIKE?



**1** Device inserted into blocked vessel to open up the blockage.


**2** Device holds your vessel open, and releases a small amount of drug to help your vessel heal.



**3** Device slowly goes away over time, so that nothing is left behind in your vessel, after about 3 years.

## WHERE CAN I LEARN MORE ABOUT THE LIFE-BTK STUDY?

For any questions, please contact the study team at the below information:



For more information please refer to [www.clinicaltrials.gov](http://www.clinicaltrials.gov) (NCT04227899)

CAUTION: Esprit™ BTK System is an investigational device limited by Federal (US) law for investigational use only.

Illustrations are artist's representations only and should not be considered as engineering drawings or photographs. Photos on file at Abbott.

**Information contained herein for DISTRIBUTION globally.**

### Abbott

3200 Lakeside Dr., Santa Clara, CA 95054 USA,  
Tel: 1.800.227.9902

™ Indicates a trademark of the Abbott Group of Companies.

[www.cardiovascular.abbott](http://www.cardiovascular.abbott)

©2020 Abbott. All rights reserved.

LIFE-BTK Patient Flyer CL1013083 Rev. B

